



**TORRI**  
MADE TO FIT




**GLB SEALS FOR  
SEWAGE PIPES AND FITTINGS**

# TECHNICAL DATASHEET

## DRAWING B2

<b>Range</b>	from Ø 32 mm to Ø 800 mm
<b>Material</b>	SBR/EPDM ACCORDING TO THE EUROPEAN STANDARD EN 681-1 WC (*)
<b>Hardness</b>	60 ± 5 IRHD (*)
<b>Color</b>	BLACK
<b>Class</b>	3
<b>Applications</b>	PVC and PP sewer pipes and fittings according to European Standards EN 1401-1 and EN 1451-1

(\*) Different materials or hardness upon customer's request.



DN	D	H	d	CODICE
Ø 32	39.6 <sup>+0.5</sup> / <sub>-0.5</sub>	6.1 <sup>+0.3</sup> / <sub>-0.3</sub>	4.9 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 32 DA
Ø 40	51.3 <sup>+0.5</sup> / <sub>-0.5</sub>	7.8 <sup>+0.3</sup> / <sub>-0.3</sub>	6.5 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 40 DB
Ø 50	61.2 <sup>+0.5</sup> / <sub>-0.5</sub>	7.8 <sup>+0.3</sup> / <sub>-0.3</sub>	6.6 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 50 DC
Ø 75	87.1 <sup>+0.6</sup> / <sub>-0.6</sub>	7.8 <sup>+0.3</sup> / <sub>-0.3</sub>	6.8 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 75 DD
Ø 82	95.5 <sup>+0.6</sup> / <sub>-0.6</sub>	8.4 <sup>+0.3</sup> / <sub>-0.3</sub>	7.1 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 82 DD
Ø 90	103.0 <sup>+0.7</sup> / <sub>-0.7</sub>	8.2 <sup>+0.3</sup> / <sub>-0.3</sub>	7.5 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 90 NUOV
Ø 100	112.5 <sup>+0.7</sup> / <sub>-0.7</sub>	8.9 <sup>+0.3</sup> / <sub>-0.3</sub>	7.5 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 10 ODE
Ø 110	124.1 <sup>+0.7</sup> / <sub>-0.7</sub>	9.1 <sup>+0.4</sup> / <sub>-0.4</sub>	7.9 <sup>+0.4</sup> / <sub>-0.4</sub>	GLB 110 DF
Ø 125	142 <sup>+0.8</sup> / <sub>-0.8</sub>	10.4 <sup>+0.3</sup> / <sub>-0.3</sub>	9.6 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 125 DG
Ø 160	179.6 <sup>+0.8</sup> / <sub>-0.8</sub>	11.7 <sup>+0.3</sup> / <sub>-0.3</sub>	10.2 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 160 DH
Ø 200	224 <sup>+1.0</sup> / <sub>-1.0</sub>	13 <sup>+0.3</sup> / <sub>-0.3</sub>	11.4 <sup>+0.3</sup> / <sub>-0.3</sub>	GLB 200 DI
Ø 225	248.0 <sup>+2.0</sup> / <sub>-2.0</sub>	19.5 <sup>+0.5</sup> / <sub>-0.5</sub>	16.0 <sup>+0.5</sup> / <sub>-0.5</sub>	GLB 225 VAL
Ø 250	282.0 <sup>+2.0</sup> / <sub>-2.0</sub>	19.5 <sup>+0.5</sup> / <sub>-0.5</sub>	16.0 <sup>+0.5</sup> / <sub>-0.5</sub>	GLB 250 NUOV
Ø 315	350.1 <sup>+2.5</sup> / <sub>-2.5</sub>	20.5 <sup>+0.5</sup> / <sub>-0.5</sub>	17 <sup>+0.5</sup> / <sub>-0.5</sub>	GLB 315 NUOV
Ø 400	440.0 <sup>+3.0</sup> / <sub>-3.0</sub>	23.5 <sup>+0.5</sup> / <sub>-0.5</sub>	19.7 <sup>+0.5</sup> / <sub>-0.5</sub>	GLB 400 NUOV
Ø 500	548.0 <sup>+3.0</sup> / <sub>-3.0</sub>	27.0 <sup>+0.5</sup> / <sub>-0.5</sub>	26.0 <sup>+0.5</sup> / <sub>-0.5</sub>	GLB 500 NUOV
Ø 630	675.0 <sup>+3.5</sup> / <sub>-3.5</sub>	27.8 <sup>+0.5</sup> / <sub>-0.5</sub>	26.0 <sup>+0.5</sup> / <sub>-0.5</sub>	GLB 630 NUOV
Ø 710	765.0 <sup>+10.0</sup> / <sub>-10.0</sub>	37.3 <sup>+2.0</sup> / <sub>-2.0</sub>	33.5 <sup>+2.0</sup> / <sub>-2.0</sub>	GLB 710 RESIN
Ø 800	860.0 <sup>+10.0</sup> / <sub>-10.0</sub>	37.3 <sup>+2.0</sup> / <sub>-2.0</sub>	33.5 <sup>+2.0</sup> / <sub>-2.0</sub>	GLB 800 RESIN

**Latest Revision:** 24/01/2018 **Designed by:** Paganotti Davide **Approved by:** Paderno Sergio

Certifications



## PACKING LIST

DN.	PCS./ROLL	ROLL/BOX	PCS./BOX	DIMENSION CARDBOARD BOXES	PCS./PALLET
Ø 32	71	153	10.863	60X40X45	<b>86.904</b>
Ø 40	56	91	5.096	60X40X45	<b>40.768</b>
Ø 50	56	66	3.696	60X40X45	<b>29.568</b>
Ø 75	55	254	13.970	120X80X100	<b>13.970</b>
Ø 90	52	178	9.256	120X80X100	<b>9.256</b>
Ø 110	46	126	5.796	120X80X100	<b>5.796</b>
Ø 125	40	90	3.600	120X80X100	<b>3.600</b>
Ø 160	36	56	2.016	120X80X100	<b>2.016</b>
Ø 200	32	36	1.152	120X80X100	<b>1.152</b>

DN.	PCS./BOX	DIMENSION CARDBOARD BOXES	PCS./PALLET
Ø 100	15.000	120X80X100	<b>15.000</b>
Ø 250	1.000	120X80X100	<b>1.008</b>
Ø 315	750	120X80X100	<b>750</b>
Ø 400	500	120X80X100	<b>500</b>
Ø 500	250	120X80X100	<b>250</b>
Ø 630	200	120X80X100	<b>200</b>

**Latest Revision:** 07/08/2019    **Designed by:** Paganotti Davide    **Approved by:** Paderno Sergio

Certifications

