TORRI

MADE TO FIT




TORRI GASKET FOR CAST IRON PIPES

TYTON GASKET: TECHNICAL DATASHEET

DRAWING M1

Range	Standard size from DN 100 to DN 750 mm
Material	EPDM ACCORDING WITH EUROPEAN EN 681-1 WC (*) Material according to national standards and application are available (FRANCE – ACS)
Hardness	60 ± 5 IRHD (*)
Applications	Gasket for mechanically tightened elastic joints for cast iron pipes intended for pressure pipelines
Color	Black

(*) Different materials or hardness upon customer's request.



DN	D	d	H	CODICE
Ø 80	126	16	26	TYT80
Ø 100	146	16	26	TYT100
Ø 125	173	16	26	TYT125
Ø 150	200	16	26	TYT150
Ø 200	256	18	30	TYT200
Ø 250	310	18	32	TYT250
Ø 300	366	20	34	TYT300
Ø 350	420	20	34	TYT350
Ø 400	475	22	38	TYT400
Ø 500	583	25	42.5	TYT500
Ø 600	692	27	46.5	TYT600

Latest Revison: 24/01/2018 **Designed by:** Paganotti Davide

Certifications


Via Faletti n.30, 25031 Capriolo (BS) - Italia · Tel. (+39) 030.74.61.020 Fax (+39) 030.74.61.009 · www.torriguarnizioni.it

EXPRESS GASKET: TECHNICAL DATASHEET

DRAWING M2

Range	Standard size from Ø 60 mm to Ø 1200 mm
Material	EPDM ACCORDING WITH EUROPEAN EN 681-1 WC (*) Material according to national standards and application are available (FRANCE – ACS)
Hardness	60 ± 5 IRHD (*)
Applications	Gasket for mechanically tightened elastic joints for cast iron pipes intended for pressure pipelines
Color	Black

(*) Different materials or hardness upon customer's request.



DN	D	d	H	CODICE
Ø 80	96	11	17.5	EXP80
Ø 100	116	12	19	EXP100
Ø 125	142	13	20.5	EXP125
Ø 150	168	13	20.5	EXP150
Ø 200	219.5	14	22	EXP200
Ø 250	271.5	14	22	EXP250
Ø 300	323.5	16	23.5	EXP300
Ø 350	375	17	25	EXP350
Ø 400	426	17	25	EXP400
Ø 450	476.5	18	26.5	EXP450
Ø 500	528.5	18	26.5	EXP500
Ø 600	631	21	28	EXP600

Latest Revison: 24/01/2018 **Designed by:** Paganotti Davide

Certifications

Via Faletti n.30, 25031 Capriolo (BS) - Italia · Tel. (+39) 030.74.61.020 Fax (+39) 030.74.61.009 · www.torriguarnizioni.it